

# All A++ or Above!!

Outdoor unit	Indoor unit	For medium-temperature application							For low-temperature application										
		Seasonal space heating energy efficiency class	Water heating energy efficiency class	Rated heat output under average climate conditions		Seasonal space heating energy efficiency under average climate conditions	Water heating energy efficiency under average climate conditions		Sound power level LWA indoor	Sound power level LWA outdoor	Seasonal space heating energy efficiency class	Water heating energy efficiency class	Rated heat output under average climate conditions		Seasonal space heating energy efficiency under average climate conditions	Water heating energy efficiency under average climate conditions		Sound power level LWA indoor	Sound power level LWA outdoor
				kW	%		%	dB					dB	kW		%	%		
SUZ-SWM40VA	EHST17D-***D	A++	A+	4.6	129	148	41	58	A+++	A+	5.1	180	148	41	58				
	ERST17D-***D	A++	A+	4.6	132	148	41	58	A+++	A+	5.1	187	148	41	58				
	EHST20D-***D	A++	A+	4.6	129	159	41	58	A+++	A+	5.1	180	159	41	58				
	ERST20D-***D	A++	A+	4.6	132	159	41	58	A+++	A+	5.1	187	159	41	58				
	EHSD-***D	A++	-	4.6	129	-	41	58	A+++	-	5.1	180	-	41	58				
	ERSD-***D	A++	-	4.6	132	-	41	58	A+++	-	5.1	187	-	41	58				
SUZ-SWM60VA	EHST17D-***D	A++	A+	6.0	130	144	41	60	A+++	A+	6.6	181	144	41	60				
	ERST17D-***D	A++	A+	6.0	133	144	41	60	A+++	A+	6.6	187	144	41	60				
	EHST20D-***D	A++	A+	6.0	130	148	41	60	A+++	A+	6.6	181	148	41	60				
	ERST20D-***D	A++	A+	6.0	133	148	41	60	A+++	A+	6.6	187	148	41	60				
	EHSD-***D	A++	-	6.0	130	-	41	60	A+++	-	6.6	181	-	41	60				
	ERSD-***D	A++	-	6.0	133	-	41	60	A+++	-	6.6	187	-	41	60				
SUZ-SWM80VA	EHST17D-***D	A++	A+	7.1	131	144	41	62	A+++	A+	7.1	182	144	41	62				
	ERST17D-***D	A++	A+	7.1	133	144	41	62	A+++	A+	7.1	187	144	41	62				
	EHST20D-***D	A++	A+	7.1	131	148	41	62	A+++	A+	7.1	182	148	41	62				
	ERST20D-***D	A++	A+	7.1	133	148	41	62	A+++	A+	7.1	187	148	41	62				
	EHST30D-***D	A++	A+	7.1	131	127	41	62	A+++	A+	7.1	182	127	41	62				
	ERST30D-***D	A++	A+	7.1	133	127	41	62	A+++	A+	7.1	187	127	41	62				
	EHSD-***D	A++	-	7.1	131	-	41	62	A+++	-	7.1	182	-	41	62				
	ERSD-***D	A++	-	7.1	133	-	41	62	A+++	-	7.1	187	-	41	62				
PUD-SWM60VAA	E*ST17D-***D	A++	A+	6.0	130	136	41	55	A+++	A+	6.0	175	136	41	55				
	E*ST20D-***D	A++	A+	6.0	130	148	41	55	A+++	A+	6.0	175	148	41	55				
	E*ST30D-***D	A++	A	6.0	130	121	41	55	A+++	A	6.0	175	121	41	55				
	E*SD-***D	A++	-	6.0	130	-	41	55	A+++	-	6.0	175	-	41	55				
PUD-SWM80V/YAA	E*ST17D-***D	A++	A+	8.0	131/130	136	41	56	A+++	A+	8.0	178/176	136	41	56				
	E*ST20D-***D	A++	A+	8.0	131/130	148	41	56	A+++	A+	8.0	178/176	148	41	56				
	E*ST30D-***D	A++	A	8.0	131/130	121	41	56	A+++	A	8.0	178/176	121	41	56				
	E*SD-***D	A++	-	8.0	131/130	-	41	56	A+++	-	8.0	178/176	-	41	56				
PUD-SWM100V/YAA	E*ST20D-***D	A++	A+	10.0	131/130	148	41	59	A+++	A+	10.0	178/177	148	41	59				
	E*ST30D-***D	A++	A	10.0	131/130	121	41	59	A+++	A	10.0	178/177	121	41	59				
	E*SD-***D	A++	-	10.0	131/130	-	41	59	A+++	-	10.0	178/177	-	41	59				
PUD-SWM120V/YAA	E*ST20D-***D	A++	A+	12.0	129/128	148	41	60	A+++	A+	12.0	177/176	148	41	60				
	E*ST30D-***D	A++	A	12.0	129/128	121	41	60	A+++	A	12.0	177/176	121	41	60				
	E*SD-***D	A++	-	12.0	129/128	-	41	60	A+++	-	12.0	177/176	-	41	60				
PUD-SHWM60VAA	E*ST17D-***D	A++	A+	6.0	134	136	41	55	A+++	A+	6.0	178	136	41	55				
	E*ST20D-***D	A++	A+	6.0	134	148	41	55	A+++	A+	6.0	178	148	41	55				
	E*ST30D-***D	A++	A	6.0	134	121	41	55	A+++	A	6.0	178	121	41	55				
	E*SD-***D	A++	-	6.0	134	-	41	55	A+++	-	6.0	178	-	41	55				
PUD-SHWM80V/YAA	E*ST17D-***D	A++	A+	8.0	135/134	136	41	56	A+++	A+	8.0	181/179	136	41	56				
	E*ST20D-***D	A++	A+	8.0	135/134	148	41	56	A+++	A+	8.0	181/179	148	41	56				
	E*ST30D-***D	A++	A	8.0	135/134	121	41	56	A+++	A	8.0	181/179	121	41	56				
	E*SD-***D	A++	-	8.0	135/134	-	41	56	A+++	-	8.0	181/179	-	41	56				

Note: E\*\*T17/20\*-\*\*\*D use "Load profile L".  
E\*\*T30\*-\*\*\*D use "Load profile XL".

# All A++ or Above!!

Outdoor unit	Indoor unit	For medium-temperature application							For low-temperature application						
		Seasonal space heating energy efficiency class	Water heating energy efficiency class	Rated heat output under average climate conditions	Seasonal space heating energy efficiency under average climate conditions	Water heating energy efficiency under average climate conditions	Sound power level LWA indoor	Sound power level LWA outdoor	Seasonal space heating energy efficiency class	Water heating energy efficiency class	Rated heat output under average climate conditions	Seasonal space heating energy efficiency under average climate conditions	Water heating energy efficiency under average climate conditions	Sound power level LWA indoor	Sound power level LWA outdoor
				kW							%				
PUD-SHWM100V/YAA	E*ST20D-***D	A++	A+	10.0	136/135	148	41	59	A+++	A+	10.0	180/178	148	41	59
	E*ST30D-***D	A++	A	10.0	136/135	121	41	59	A+++	A	10.0	180/178	121	41	59
	E*SD-***D	A++	-	10.0	136/135	-	41	59	A+++	-	10.0	180/178	-	41	59
PUD-SHWM120V/YAA	E*ST20D-***D	A++	A+	12.0	135/134	148	41	60	A+++	A+	12.0	179/177	148	41	60
	E*ST30D-***D	A++	A	12.0	135/134	121	41	60	A+++	A	12.0	179/177	121	41	60
	E*SD-***D	A++	-	12.0	135/134	-	41	60	A+++	-	12.0	179/177	-	41	60
PUD-SHWM140V/YAA	E*ST20D-***D	A++	A+	14.0	134/134	145	41	62	A+++	A+	14.0	179/177	145	41	62
	E*ST30D-***D	A++	A	14.0	134/134	121	41	62	A+++	A	14.0	179/177	121	41	62
	E*SD-***D	A++	-	14.0	134/134	-	41	62	A+++	-	14.0	179/177	-	41	62
PUHZ-SW75V/YAA	EHST17D-***D	A++	A+	7.1	129	136	41	58	A++	A+	7.2	162	136	41	58
	ERST17D-***D	A++	A+	7.1	132	136	41	58	A++	A+	7.2	166	136	41	58
	EHST20D-***D	A++	A+	7.1	129	145	41	58	A++	A+	7.2	162	145	41	58
	ERST20D-***D	A++	A+	7.1	132	145	41	58	A++	A+	7.2	166	145	41	58
	EHST30D-***D	A++	A	7.1	129	120	41	58	A++	A	7.2	162	120	41	58
	ERST30D-***D	A++	A	7.1	132	120	41	58	A++	A	7.2	166	120	41	58
	EHSD-***D	A++	-	7.1	129	-	41	58	A++	-	7.2	162	-	41	58
	ERSD-***D	A++	-	7.1	132	-	41	58	A++	-	7.2	166	-	41	58
PUHZ-SW100V/YAA	EHST20C-***D	A++	A+	10.0	130	145	40	60	A++	A+	10.6	167	145	40	60
	ERST20C-***D	A++	A+	10.0	132	145	40	60	A++	A+	10.6	170	145	40	60
	EHST30C-***D	A++	A	10.0	130	120	40	60	A++	A	10.6	167	120	40	60
	ERST30C-***D	A++	A	10.0	132	120	40	60	A++	A	10.6	170	120	40	60
	EHSC-***D	A++	-	10.0	130	-	40	60	A++	-	10.6	167	-	40	60
	ERSC-***D	A++	-	10.0	132	-	40	60	A++	-	10.6	170	-	40	60
PUHZ-SW120V/YAA	EHST20C-***D	A++	A+	12.0	125	138	40	72	A++	A+	12.9	162	138	40	72
	ERST20C-***D	A++	A+	12.0	127	138	40	72	A++	A+	12.9	164	138	40	72
	EHST30C-***D	A++	A	12.0	125	118	40	72	A++	A	12.9	162	118	40	72
	ERST30C-***D	A++	A	12.0	127	118	40	72	A++	A	12.9	164	118	40	72
	EHSC-***D	A++	-	12.0	125	-	40	72	A++	-	12.9	162	-	40	72
	ERSC-***D	A++	-	12.0	127	-	40	72	A++	-	12.9	164	-	40	72
PUHZ-SW160YKA	EHSE-***D	A++	-	13.5	125	-	45	78	A++	-	15.3	161	-	45	78
	ERSE-***D	A++	-	13.5	126	-	45	78	A++	-	15.3	163	-	45	78
PUHZ-SW200YKA	EHSE-***D	A++	-	15.5	127	-	45	78	A++	-	17.3	163	-	45	78
	ERSE-***D	A++	-	15.5	129	-	45	78	A++	-	17.3	164	-	45	78
PUHZ-SHW80V/YAA	EHST20C-***D	A++	A+	9.0	133	145	40	59	A++	A+	9.6	169	145	40	59
	ERST20C-***D	A++	A+	9.0	135	145	40	59	A++	A+	9.6	172	145	40	59
	EHST30C-***D	A++	A	9.0	133	120	40	59	A++	A	9.6	169	120	40	59
	ERST30C-***D	A++	A	9.0	135	120	40	59	A++	A	9.6	172	120	40	59
	EHSC-***D	A++	-	9.0	133	-	40	59	A++	-	9.6	169	-	40	59
	ERSC-***D	A++	-	9.0	135	-	40	59	A++	-	9.6	172	-	40	59
PUHZ-SHW112V/YAA	EHST20C-***D	A++	A+	12.7	135	145	40	60	A++	A+	13.9	171	145	40	60
	ERST20C-***D	A++	A+	12.7	137	145	40	60	A++	A+	13.9	173	145	40	60
	EHST30C-***D	A++	A	12.7	135	120	40	60	A++	A	13.9	171	120	40	60
	ERST30C-***D	A++	A	12.7	137	120	40	60	A++	A	13.9	173	120	40	60
	EHSC-***D	A++	-	12.7	135	-	40	60	A++	-	13.9	171	-	40	60
	ERSC-***D	A++	-	12.7	137	-	40	60	A++	-	13.9	173	-	40	60

Outdoor unit	Indoor unit	For medium-temperature application							For low-temperature application						
		Seasonal space heating energy efficiency class	Water heating energy efficiency class	Rated heat output under average climate conditions	Seasonal space heating energy efficiency under average climate conditions	Water heating energy efficiency under average climate conditions	Sound power level LWA indoor	Sound power level LWA outdoor	Seasonal space heating energy efficiency class	Water heating energy efficiency class	Rated heat output under average climate conditions	Seasonal space heating energy efficiency under average climate conditions	Water heating energy efficiency under average climate conditions	Sound power level LWA indoor	Sound power level LWA outdoor
PUHZ-SHW140YHA	EHST20C-***D	A++	A+	15.8	127	138	40	70	A++	A+	17.0	163	138	40	70
	ERST20C-***D	A++	A+	15.8	128	138	40	70	A++	A+	17.0	165	138	40	70
	EHST30C-***D	A++	A+	15.8	127	118	40	70	A++	A+	17.0	163	118	40	70
	ERST30C-***D	A++	A+	15.8	128	118	40	70	A++	A+	17.0	165	118	40	70
	EHSC-***D	A++	-	15.8	127	-	40	70	A++	-	17.0	163	-	40	70
	ERSC-***D	A++	-	15.8	128	-	40	70	A++	-	17.0	165	-	40	70
PUHZ-SHW230YKA2	EHSE-***D	A++	-	23.0	127	-	45	75	A++	-	25.0	164	-	45	75
	ERSE-***D	A++	-	23.0	128	-	45	75	A++	-	25.0	165	-	45	75
PUZ-WM50VHA	EHPT17X-***D	A++	A+	5.0	129	148	40	61	A+++	A+	5.0	183	148	40	61
	ERPT17X-***D	A++	A+	5.0	133	148	40	61	A+++	A+	5.0	190	148	40	61
	EHPT20X-***D	A++	A+	5.0	129	135	40	61	A+++	A+	5.0	183	135	40	61
	ERPT20X-***D	A++	A+	5.0	133	135	40	61	A+++	A+	5.0	190	135	40	61
	EHPX-***D	A++	-	5.0	129	-	40	61	A+++	-	6.0	190	-	40	61
PUZ-WM60VAA	EHPT17X-***D	A++	A+	6.0	142	144	40	58	A+++	A+	6.0	190	144	40	58
	ERPT17X-***D	A++	A+	6.0	145	144	40	58	A+++	A+	6.0	197	144	40	58
	EHPT20X-***D	A++	A+	6.0	142	145	40	58	A+++	A+	6.0	190	145	40	58
	ERPT20X-***D	A++	A+	6.0	145	145	40	58	A+++	A+	6.0	197	145	40	58
	EHPX-***D	A++	-	6.0	142	-	40	58	A+++	-	6.0	190	-	40	58
PUZ-WM85V/YAA	EHPT17X-***D	A++	A+	8.5	139/138	144	40	58	A+++	A+	8.5	193/190	144	40	58
	ERPT17X-***D	A++	A+	8.5	141	144	40	58	A+++	A+	8.5	197	144	40	58
	EHPT20X-***D	A++	A+	8.5	139/138	145	40	58	A+++	A+	8.5	193/190	145	40	58
	ERPT20X-***D	A++	A+	8.5	141	145	40	58	A+++	A+	8.5	197	145	40	58
	EHPT30X-***D	A++	A	8.5	139/138	120	40	58	A+++	A	8.5	193/190	120	40	58
	ERPT30X-***D	A++	A	8.6	141	120	40	58	A+++	A	8.5	197	120	40	58
	EHPX-***D	A++	-	8.5	139/138	-	40	58	A+++	-	8.5	193/190	-	40	58
PUZ-WM112V/YAA	EHPT20X-***D	A++	A+	10.0	134/133	148	40	60	A+++	A+	10.0	191/189	148	40	60
	ERPT20X-***D	A++	A+	10.0	136	148	40	60	A+++	A+	10.0	195	148	40	60
	EHPT30X-***D	A++	A	10.0	134/133	120	40	60	A+++	A	10.0	191/189	120	40	60
	ERPT30X-***D	A++	A	10.0	136	120	40	60	A+++	A	10.0	195	120	40	60
	EHPX-***D	A++	-	10.0	134/133	-	40	60	A+++	-	10.0	191/189	-	40	60
PUHZ-FRP71VHA2	EHST20C-***D	A+	A+	7.5	121	138	40	68	A++	A+	7.5	163	138	40	68
	EHSC-***D	A+	-	7.5	121	-	40	68	A++	-	7.5	163	-	40	68
PUMY-P112VKM3/YKM(E)4	EHST20C-***D	A+	A	11.2	121	106	40	69	A++	A	11.2	168	106	40	69
	EHSC-***D	A+	-	11.2	121	-	40	69	A++	-	11.2	168	-	40	69
PUMY-P125VKM3/YKM(E)4	EHST20C-***D	A+	A	11.2	121	106	40	69	A++	A	11.2	168	106	40	69
	EHSC-***D	A+	-	11.2	121	-	40	69	A++	-	11.2	168	-	40	69
PUMY-P140VKM3/YKM(E)4	EHST20C-***D	A+	A	11.2	121	106	40	69	A++	A	11.2	168	106	40	69
	EHSC-***D	A+	-	11.2	121	-	40	69	A++	-	11.2	168	-	40	69

Note: E\*\*T17/20\*.\*\*\*D use "Load profile L".  
E\*\*T30\*.\*\*\*D use "Load profile XL".